



URBAN LANDSCAPE



URBAN LANDSCAPE




SILVER LAKE p.6



SOUTHSIDE p.12



CHELSEA p.26



SOHO p.34



BRIGHTON p.20

colors

URBAN LANDSCAPE / BRIGHTON




URBAN LANDSCAPE / SILVER LAKE




URBAN LANDSCAPE / SOUTHSIDE



URBAN LANDSCAPE / CHELSEA



URBAN LANDSCAPE / SOHO



Concrete is transformed into a tile with a distinctive urban mood. Milestone's Urban Landscape collection consists of seven chic modern colors. The minimalistic smoothness and the solid color of the surface make the series perfect for contemporary projects with an urban feel. The collection offers two tile sizes coordinated with mosaics and trims that give it the ability to fit into any context and to be adaptable to a variety of aesthetic and functional needs. A minimalist style designed to inspire and surround commercial surfaces.





URBAN LANDSCAPE / **BRIGHTON**

6 | **URBAN LANDSCAPE**



12"x12" . 12"x24" / **BRIGHTON**



12"x12" / **BRIGHTON** 12"x12" soho



URBAN LANDSCAPE / **SILVER LAKE**



12"x24". 12"x12" MOSAIC / SILVER LAKE



URBAN LANDSCAPE / **SOUTHSIDE**

URBAN LANDSCAPE



URBAN LANDSCAPE / **CHELSEA**

URBAN LANDSCAPE



12"x24" . 12"x12" MOSAIC / CHELSEA



12"x12" / CHELSEA

URBAN LANDSCAPE / **SOHO**



SIZES & SHADE VARIATION

sizes:

12"x24"



- 1093489 Silver Lake
- 1093490 South Side
- 1093488 Brighton
- 1093486 Soho
- 1093485 Chelsea


12"x12"



- 1093611 Silver Lake
- 1093612 South Side
- 1093610 Brighton
- 1093608 Soho
- 1093607 Chelsea

mosaics & trim pieces:

Mosaic 12"x12"



- 1094198 Silver Lake
- 1094199 South Side
- 1094197 Brighton
- 1094195 Soho
- 1094194 Chelsea

3"x12" Bullnose




- 1094184 Silver Lake
- 1094185 South Side
- 1094183 Brighton
- 1094181 Soho
- 1094180 Chelsea

6"x12" Cove Base *special order only



- 1094203 Silver Lake
- 1094204 South Side
- 1094215 Brighton
- 1094216 Soho
- 1094201 Chelsea


Colors shown may vary from actual product.
Final selection should be made from actual product samples.



V1
UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.



V2
SLIGHT VARIATION
Clearly distinguishable differences in texture and/or pattern with similar colors.










V3
MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4
SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD
	SURFACE ABRASION		IV	ASTM C1027
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650
	DYNAMIC COEFFICIENT OF FRICTION	≥0.42 WET	MEETS REQUIREMENT	ANSI A137.1
	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378
	BREAKING STRENGTH		≥400	ASTM C648
	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesn't discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn't feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

FROST RESISTANT Exceeding the ADA standard requirements, the Milestone product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

HYGIENE/SANITATION & EASY CLEANING The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a damp sponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ.FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x24"	30x60	10 mm	6	12	55	48	576	2,632
12"x12"	30x30	10 mm	13	13	59	48	624	2,832
MOSAICS AND COORDINATING TRIMS								
3"x12" BULLNOSE	7.5x30	10 mm	12	3	12	168	2,016 pcs	2,016
6"x12" COVE BASE	15x30	7 mm	10	5	17.5	64	640 pcs	1,120
3"x3" MOSAIC (12"x12")	30x30	10 mm	10	10	40.6	45	450 pcs	1,827

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

- Routine care instructions:
1. Wash with water to remove superficial dirt.
 2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
 3. Let the solution sit 5-7 minutes.
 4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
 5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

CLEANING & MAINTENANCE



CERTIFICATIONS & ACCREDITATIONS

PROGRESSTHATTOUCHESANDINVESTSINTHEENTIRESOCIETY

As an active member of the U.S. Green Building Council, Milestone spreads awareness to the entire American community and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is one of the design principles produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into a vanguard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings: it offers the largest array of design options and holds its value the longest in a comparison between the many different flooring options. Porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

SUGGESTED INSTALLATIONS

PEI Class IV
Moderate to heavy foot traffic
 Recommended for all residential applications as well as medium commercial and light institutional applications.



300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

